



## Expansion tanks for Heating Systems

*IN LINE*

Red colour

99 °C

Precharge pressure 1.5 Bar

|                  |                     | capacity | connection | pressure |
|------------------|---------------------|----------|------------|----------|
| HS005231CS000000 | EXPANSION VESSEL    | 5 l      | 3/4"       | 6 bar    |
| HS008231CS000000 | EXPANSION VESSEL    | 8 l      | 3/4"       | 6 bar    |
| HS012231CS000000 | EXPANSION VESSEL CE | 12 l     | 3/4"       | 6 bar    |
| HS018231CS000000 | EXPANSION VESSEL CE | 18 l     | 3/4"       | 6 bar    |
| HS025231CS000000 | EXPANSION VESSEL CE | 25 l     | 3/4"       | 6 bar    |
| HS040231CS000000 | EXPANSION VESSEL CE | 40 l     | 3/4"       | 5 bar    |

Carbon Steel Flange

*ON 3 FEET  
TOP CONNECTION*

Red colour

Precharge pressure 1.5 Bar

|                  |                     | capacity | connection | pressure |
|------------------|---------------------|----------|------------|----------|
| HS035231CS00P000 | EXPANSION VESSEL CE | 35 l     | 3/4"       | 5 bar    |
| HS050271CS000000 | EXPANSION VESSEL CE | 50 l     | 3/4"       | 6 bar    |
| HS060371CS000000 | EXPANSION VESSEL CE | 60 l     | 3/4"       | 6 bar    |
| HS080371CS000000 | EXPANSION VESSEL CE | 80 l     | 3/4"       | 6 bar    |
| HS100371CS000000 | EXPANSION VESSEL CE | 100 l    | 1"         | 6 bar    |
| HS150471CS000000 | EXPANSION VESSEL CE | 150 l    | 6/4"       | 6 bar    |
| HS200471CS000000 | EXPANSION VESSEL CE | 200 l    | 6/4"       | 6 bar    |
| HS250471CS000000 | EXPANSION VESSEL CE | 250 l    | 6/4"       | 6 bar    |
| HS300471CS000000 | EXPANSION VESSEL CE | 300 l    | 6/4"       | 6 bar    |
| HS400471CS000000 | EXPANSION VESSEL CE | 400 l    | 6/4"       | 6 bar    |
| HS500471CS000000 | EXPANSION VESSEL CE | 500 l    | 6/4"       | 6 bar    |
| HS600471CS000000 | EXPANSION VESSEL CE | 600 l    | 6/4"       | 6 bar    |
| HS700471CS000000 | EXPANSION VESSEL CE | 700 l    | 6/4"       | 6 bar    |

Carbon Steel Flange



## Expansion tanks for Solar Heating Systems

*IN LINE*

Red colour

130 °C

Precharge pressure 2.5 Bar

|                  |                           | capacity | connection | pressure |
|------------------|---------------------------|----------|------------|----------|
| SL005241S4000000 | SOLAR EXPANSION VESSEL    | 5 l      | 3/4"       | 8 bar    |
| SL008241S4000000 | SOLAR EXPANSION VESSEL    | 8 l      | 3/4"       | 8 bar    |
| SL012241S4000000 | SOLAR EXPANSION VESSEL CE | 12 l     | 3/4"       | 8 bar    |
| SL018241S4000000 | SOLAR EXPANSION VESSEL CE | 18 l     | 3/4"       | 8 bar    |
| SL025241S4000000 | SOLAR EXPANSION VESSEL CE | 25 l     | 3/4"       | 8 bar    |
| SL040241S4000000 | SOLAR EXPANSION VESSEL CE | 40 l     | 3/4"       | 8 bar    |

Stainless Steel Flange

*ON 3 FEET  
TOP CONNECTION*

Red colour

Precharge pressure 2.5 Bar

|                  |                           | capacity | connection | pressure |
|------------------|---------------------------|----------|------------|----------|
| SL050281S4000000 | SOLAR EXPANSION VESSEL CE | 50 l     | 3/4"       | 10 bar   |
| SL080281S4000000 | SOLAR EXPANSION VESSEL CE | 80 l     | 3/4"       | 10 bar   |
| SL100381S4000000 | SOLAR EXPANSION VESSEL CE | 100 l    | 1"         | 10 bar   |
| SL150481S4000000 | SOLAR EXPANSION VESSEL CE | 150 l    | 6/4"       | 10 bar   |
| SL200481S4000000 | SOLAR EXPANSION VESSEL CE | 200 l    | 6/4"       | 10 bar   |
| SL300481S4000000 | SOLAR EXPANSION VESSEL CE | 300 l    | 6/4"       | 10 bar   |
| SL500481S4000000 | SOLAR EXPANSION VESSEL CE | 500 l    | 6/4"       | 10 bar   |

Stainless Steel Flange





AQUAFill



CATALOGUE



*WHO*  
we are

The result of many years of tradition in the heating and plumbing field, Aquafill is a high quality brand that offers the market a wide range of expansion tanks and pressure tanks for heating circuits, plumbing systems and for any application that requires control of expansion and water pressure, throughout the world.

Manufactured entirely in modern Italian plants, with meticulous attention to production processes and an uncompromising quality control system, Aquafill products offer the assurance of extreme reliability and durability, complying with and often exceeding the standards required by the most prestigious international certification systems, with a view to continuous improvement.

Finally, in order to compete in an increasingly dynamic and advanced market, Aquafill believes in the importance of a high quality service, not only for order management, but also and above all providing adequate technical assistance and guaranteeing prompt and efficient after-sales service.

