## Pressure tanks for Water Pump Systems

\*

\*

Blue colour

99 °C

		ır 🖌	colou	Red							
		0 5 /	lire	40Ing	connectio	lit.		IN TUE			
	/		Pressure	shape	conne	capacity,	r	Precharge pressure 2 ba			
6		]	8 bar	cylindrical	1"	51	PRESSURE TANK	WS005361CS000000			
			8 bar	cylindrical	1"	81	PRESSURE TANK CE	WS008361CS000000			
			8 bar	spherical	1"	12	PRESSURE TANK CE	WS012361CS000000			
			8 bar	cylindrical	1"	191	PRESSURE TANK CE	WS019361CS000000			
			8 bar	spherical	1"	24 I	PRESSURE TANK CE	WS024361CS0SE000			
			8 bar	cylindrical	1"	40 I	PRESSURE TANK CE	WS040361CS000000			
								Carbon Steel Flange			
								Carbon Steel Flange			

## VERTICAL VERSION ON 3 FEET *βΟΤΤΟΜ CONNECTION*

## Precharge pressure 2 bar

		Blue colo			
VERTICAL VERSION ON 3 FE BOTTOM CONNECTION		capacity	connectio	Dressure	
Precharge pressure 2 ba	r	/ හි	/ හි	<sup>1</sup> a	
WS050362CS000000	PRESSURE TANK CE	50 I	1"	10 bar	
WS060362CS000000	PRESSURE TANK CE	60 I	1"	10 bar	
WS080362CS000000	PRESSURE TANK CE	80	1"	10 bar	
WS100362CS000000	PRESSURE TANK CE	100 I	1"	10 bar	
WS150462CS000000	PRESSURE TANK CE	150 I	6/4"	10 bar	
WS200462CS000000	PRESSURE TANK CE	200 I	6/4"	10 bar	
WS300462CS000000	PRESSURE TANK CE	300 I	6/4"	10 bar	
WS500462CS000000	PRESSURE TANK CE	500 I	6/4"	10 bar	
WS750462CS000000	PRESSURE TANK CE	750 I	6/4"	10 bar	
WSN10H62CS000000	PRESSURE TANK CE	1000 I	2"	10 bar	
WSN20H62CS000000	PRESSURE TANK CE	2000 I	2"	10 bar	
WSN30H62CS000000	PRESSURE TANK	3000 I	2"	10 bar	

Carbon Steel Flange

				Blue colou	r
HORIZONTAL DERSION				<i>چ</i> /	
		1			
		capacity	connectio	Dressure	/
Precharge pressure 2 bar		/ &	/ 8	<sup>2</sup> a	/
WSH20362CS0BP000	PRESSURE TANK CE HOR.	20 I	1"	10 bar	
WS040362CS00H000	PRESSURE TANK CE HOR.	40 I	1"	10 bar	
WS050362CS00H000	PRESSURE TANK CE HOR.	50 I	1"	10 bar	- (
WS060362CS00H000	PRESSURE TANK CE HOR.	60 I	1"	10 bar	
WS080362CS00H000	PRESSURE TANK CE HOR.	80 I	1"	10 bar	
WS100362CS00H000	PRESSURE TANK CE HOR.	100 I	1"	10 bar	
WS150462CS00H000	PRESSURE TANK CE HOR.	150 I	6/4"	10 bar	
WS200462CS00H000	PRESSURE TANK CE HOR.	200 I	6/4"	10 bar	

Red colour on demand 😣









The result of many years of tradition in the heating and plumbing field, Aquafill is a high quality brand that offers the market a wide range of expansion tanks and pressure tanks for heating circuits,

plumbing systems and for any application that requires control of expansion and water pressure, throughout the world.

Manufactured entirely in modern Italian plants, with meticulous attention to production processes and an uncompromising quality control system, Aquafill products offer the assurance of extreme reliability and durability, complying with and often exceeding the standards required by the most prestigious international certification systems, with a view to continuous improvement.

Finally, in order to compete in an increasingly dynamic and advanced market, Aquafill believes in the importance of a high quality service, not only for order management, but also and above all providing adequate technical assistance and guaranteeing prompt and efficient after-sales service.

