




**PLUG AND PLAY  
SOLUTION**



**ENERGY  
EFFICIENCY**

**COMPACT  
DESIGN**





ECONOMIC SAVING

ENERGY  
EFFICIENCY

SAFETY

CONTROLLED  
SYSTEM

EASY TO USE

NEW FEATURES AND  
COMPACT DESIGN



## Pressurized system with integrated pressure control

Easy to install and Compact **plug and play** booster set.

Brand new asynchronous single-phase motor.

Equipped with pressure transducer, non-return valve, controlled starting current and temperature.

**Equipped with a programmable software** and, thanks to the analogic pressure sensor, the product allows to set the re-start pressure. An ideal solution which allows to reduce or remove the need of a expansion tank



24%

**LESS ENERGY CONSUMPTION  
COMPARED TO A STANDARD PUMP**

## FEATURES

- high efficiency asynchronous single-phase motor
- capacitor not stressed in voltage
- uniform and lower motor temperature
- motor power control
- programmable re-start pressure
- no hydraulic losses due to the measuring devices
- voltage and current control
- monitoring of maximum starting current
- elimination of water hammer

## PROTECTIONS

- dry-run protection
- air detection in the pump and in the filling cycle
- overload control and overheating motor control
- pump blockage
- overcurrent protection
- power supply control
- system leakage control
- high flow rate and piping failure detection

# CONFIGURATION



INTERFACE  
WITH LCD SCREEN


# E-MXP


## Multi-Stage Pumps

	P <sub>1</sub> kW	P <sub>2</sub>		Q m <sup>3</sup> /h l/min	0	1	1,5	2	2,5	3	3,5	4	4,5	5	5,4	6	7,2
	kW	kW	HP		0	16,6	25	33,3	41,6	50	58,3	66,6	75	83,3	90	100	120
<b>E-MXPM 203-PC</b>	0,56	0,45	0,6	<b>H m</b>	34,4	31,3	29,4	27,3	24,9	22,1	19,1	15,6	11,9	8			
<b>E-MXPM 204-PC</b>	0,70	0,55	0,75		45	40	37,5	35	32	28,5	25	21,5	17	13	9		
<b>E-MXPM 205-PC</b>	0,89	0,75	1		56	50	46,5	43,5	40	35,5	31	26,5	21	16	11		
<b>E-MXPM 403-PC</b>	0,75	0,55	0,75		33,5			30,5	28,5	28	26,5	25	23	21,5	19	17	
<b>E-MXPM 404-PC</b>	1,05	0,75	1		45,6			41,1	39,6	37,7	35,3	32,6	29,6	26,4	23,7	19,4	

PREVISIONAL

# DIMENSIONS





**water passion**

---

Calpeda S.p.A.  
Via Roggia di Mezzo, 39  
36050, Montorso Vicentino, Vicenza (Italy)  
Tel. + 39 0444 476 476  
Fax + 39 0444 476 477  
Web: [www.calpeda.com](http://www.calpeda.com)  
e-mail: [info@calpeda.it](mailto:info@calpeda.it)

11/18